

# SAFETY DATA SHEET

Regulation (EC) No 1907/2006 (REACH), Annex II  
(COMMISSION REGULATION (EU) No 2015/830)

Version 1

Product Name Ballpen inks green

Issue Date 26-Oct-2016

Revision date 26-Oct-2016

## SECTION 1: Identification of the substance /mixture and of the company/undertaking

### 1.1. Product identifier

Product Name Ballpen inks Green  
REACH registration number No information available

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Ballpen ink  
Uses advised against No information available

### 1.3. Details of the supplier of the safety data sheet

Supplier Suzhou Xiongying Ink Technology Co., Ltd  
Address Yunli road NO539 economic development zone of wujiang city jiangsu province  
China  
Postal Code 215217  
Phone +86-512-63331385  
FAX +86-512-63320778  
E-mail zhangshenghong001@126.com

Importer  
Address  
Postal Code  
Phone  
FAX  
E-mail

### 1.4. Emergency telephone number

+86-512-63331385

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]- (H331) - (H332)  
Serious eye damage/eye irritation Category 2 - (H319)

### 2.2. Label elements

Symbols/Pictograms



Signal word Warning  
Hazard Statements H319 - Causes serious eye irritation  
Precautionary Statements P264 - Wash face, hands and any exposed skin thoroughly after handling  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P337 + P313 - If eye irritation persists: Get medical advice/attention

EU Specific Hazard Statements None.

**2.3. Other hazards**

No information available

**SECTION 3: Composition/information on ingredients****3.1 Mixture**

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Epoxy resin		24969-06-0	28	
2-Phenoxy Ethanol	204-589-7	122-99-6	20	Eye Irrit. 2 (H319 )
Solvent blue38	215-523-1	13128-51-4	15	Not classified
Benzyl alcohol	202-859-9	100-51-6	12	Acute Tox. 4 (H332)
Propan-1,2-ediol	200-338-0	574-55-6	12	Eye Irrit. 2 (H319)
Cationic yellowX-8GL		12217-50-4	8	Not classified
Triethanolamine	203-049-8	102-71-6	5	Not classified

**SECTION 4: First aid measures****4.1. Description of first aid****measures General advice**

Remove contaminated clothing and shoes. If symptoms persist, call a physician.

**Inhalation**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get medical advice/attention if you feel unwell.

**Skin Contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

Wash contaminated clothing before reuse. If skin irritation persists, call a physician.

**Eye contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Ingestion**

Rinse mouth. Get medical attention. Never give anything by mouth to an unconscious person.

**Self-protection of the first aider**

First aider: Pay attention to self-protection. Use personal protection recommended in Section 8.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

**Suitable extinguishing media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media**

No information available.

**5.2. Special hazards arising from the substance or mixture**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**5.3. Advice for firefighters**

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas. Remove all sources of ignition. Do not touch or walk through spilled material. Avoid contact with skin, eyes or clothing. Avoid breathing dust/fume/gas/mist/vapors/spray. Use personal protection recommended in Section 8.

**6.2. Environmental precautions**

Local authorities should be advised if significant spillages cannot be contained. Prevent entry into waterways, sewers, basements or confined areas.

**6.3. Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

**6.4. Reference to other sections**

See Section 7 for more information  
See section 8 for more information  
See section 13 for more information

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Take precautionary measures against static discharges. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Use personal protection recommended in Section 8.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat.  
Keep locked up and out of reach of children. Store in accordance with local regulations.

**7.3. Specific end use(s)**

Apart from the uses mentioned in SECTION 1.2 no other specific uses are stipulated.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

Chemical Name	Australia	Austria	Belgium	Denmark	European Union
2-Phenoxy Ethanol (CAS #: 122-99-6)		<sup>Skin</sup> STEL 20 ppm STEL 110 mg/m <sup>3</sup> TWA: 20 ppm <sup>3</sup> TWA: 110 mg/m <sup>3</sup> Ceiling 20 ppm Ceiling 110 mg/m <sup>3</sup>			



Odor	No information available
Odor Threshold	Not determined
pH	Not determined
Melting point/freezing point	Not determined
Boiling point / boiling range	Not determined
Flash point	Not determined
Evaporation rate	Not determined
Flammability (solid, gas)	Not determined
Explosive limits	Not determined
Flammability Limit in Air	Not determined
Vapor Pressure	Not determined
Vapor density	Not determined
Relative density	Not determined
Partition coefficient (LogPow)	Not determined
Autoignition temperature	Not determined
Decomposition temperature	Not determined
Kinematic viscosity	Not determined
Dynamic viscosity	Not determined
Explosive properties	Not an explosive
Oxidizing properties	Not determined

**9.2. Other information**  
No information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None under normal processing.

### 10.4. Conditions to avoid

Heat, flames and sparks.

### 10.5. Incompatible materials

None known based on information supplied.

### 10.6. Hazardous decomposition products

None under normal use conditions.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-Phenoxy Ethanol (CAS #: 122-99-6)	= 1260 mg/kg ( Rat )	= 5 mL/kg ( Rabbit )	-
Benzyl alcohol (CAS #: 100-51-6)	= 1230 mg/kg ( Rat ) 1.55 mL/kg bw(Rat) male mL/kg bw (Rat)	= 2 g/kg ( Rabbit ) < 5000 mg/kg bw (Guinea pig)	= 8.8 mg/L 4h ( Rat ) > 4178 mg/m <sup>3</sup> air 4h(Rat)
Triethanolamine (CAS #: 102-71-6)	= 4190 mg/kg ( Rat )	> 16 mL/kg (Rat) > 20 mL/kg (Rabbit)	-

**Skin corrosion/irritation**

Non-irritating to the skin.

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Sensitization**

No sensitization responses were observed.

**Germ cell mutagenicity**

No information available.

**Carcinogenicity**

Chemical Name	European Union	IARC
Triethanolamine (CAS #: 102-71-6)	-	Group 3

**Reproductive toxicity**

No information available.

**STOT - single exposure**

No information available.

**STOT - repeated exposure**

No information available.

**Aspiration hazard**

No information available.

**SECTION 12: Ecological information****12.1. Toxicity**

Chemical Name	Algae/aquatic plants EC50	Fish LC50	Crustacea EC50
2-Phenoxy Ethanol (CAS #: 122-99-6)	500: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	337 - 352: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 366: 96 h <i>Pimephales promelas</i> mg/L LC50 static 220 - 460: 96 h <i>Leuciscus idus</i> mg/L LC50 static	500: 48 h <i>Daphnia magna</i> mg/L EC50
Benzyl alcohol (CAS #: 100-51-6)	35mg/L 3 h <i>Anabaena variabilis</i> mg/L mg/L 72h <i>Pseudokirchnerella subcapitata</i> mg/L 72h <i>Pseudokirchnerella subcapitata</i>	460 mg/L 96 h <i>Pimephales promelas</i> static 10 mg/L 96 h <i>Lepomis macrochirus</i> static 770 mg/L 1h 24h 48h <i>Pimephales promelas</i> 460 mg/L 72h 96h <i>Pimephales promelas</i>	23 mg/L 48 h water flea 230 mg/L 48h <i>Daphnia magna</i>
Triethanolamine (CAS #: 102-71-6)	216: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50 169: 96 h <i>Desmodesmus subspicatus</i> mg/L EC50	10600 - 13000: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 1000: 96 h <i>Pimephales promelas</i> mg/L LC50 static 450 - 1000: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static	-

**12.2. Persistence and degradability**

No information available.

**12.3. Bioaccumulative potential**

Chemical Name	Partition coefficient (LogPow)
2-Phenoxy Ethanol (CAS #: 122-99-6)	1.13
Benzyl alcohol (CAS #: 100-51-6)	1.1
Triethanolamine (CAS #: 102-71-6)	-2.53

Chemical Name	Bioconcentration factor (BCF)
Triethanolamine (CAS #: 102-71-6)	3.9

**12.4. Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

PBT/vPvB assessment information is not available as chemical safety assessment not conducted.

**12.6. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Waste from residues/unused products Disposal should be in accordance with applicable regional, national and local laws and regulations.  
Contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

**SECTION 14: Transport information**

**14.1. UN number** Not regulated  
**14.2. UN proper shipping name** Not regulated  
**14.3. Transport hazard class(es)** Not regulated  
**14.4. Packing group** Not regulated  
**14.5. Environmental hazards** Not regulated  
**14.6. Special precautions for user** No information available  
**14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code** Does not apply

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****European Union**

Component	EINECS/ELINCS	SVHC candidates	RESTRICTIONS - REACH TITLE VIII
Epoxy resin 24969-06-0 ( 28% )	X	-	-
2-Phenoxy Ethanol 122-99-6 ( 20% )	X	-	-
Solvent blue8 13128-51-4 ( 15% )	X	-	-

Benzyl alcohol 100-51-6 ( 12% )	X	-	-
Propan-1,2-ediol 574-55-6 ( 12% )	X	-	-
Cationic yellowX-8GL 12217-50-4 ( 8% )	X	-	-
Triethanolamine 102-71-6 ( 5% )	X	-	-

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

### International Inventories

Component	TSCA	DSL/NDSL	ENCS	IECSC	KECL	PICCS	AICS
Epoxy resin 24969-06-0 ( 28% )	X	X	X	X	X	X	X
2-Phenoxy Ethanol 122-99-6 ( 20% )	X	X	X	X	X	X	X
Solvent blue8 13128-51-4 ( 15% )	X	X	X	X	X	X	X
Benzyl alcohol 100-51-6 ( 12% )	-	X	X	-	-	X	-
Propan-1,2-ediol 574-55-6 ( 12% )	X	X	X	X	X	X	X
Cationic yellowX-8GL 12217-50-4 ( 8% )	X	X	X	X	X	X	X
Triethanolamine 102-71-6 ( 5% )	X	X	X	X	X	X	X

"-" Not Listed

"X" Listed

### 15.2. Chemical safety assessment

No information available.

## SECTION 16: Other information

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

**Issue Date** 26-Oct-2016

**Revision date** 26-Oct-2016

**Revision Note** Not applicable

### Key or legend to abbreviations and acronyms used in the safety data sheet

**TWA** - TWA (time-weighted average)

**STEL** - STEL (Short Term Exposure Limit)

**Ceiling** - Maximum limit value

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical

Substances **AICS** - Australian Inventory of Chemical Substances

### Key literature references and sources for data

ECHA: <http://echa.europa.eu/>

IFA GESTIS: [http://gestis-en.itrust.de/nxt/gateway.dll?f=templates\\$fn=default.htm\\$vid=gestiseng:sdbeng](http://gestis-en.itrust.de/nxt/gateway.dll?f=templates$fn=default.htm$vid=gestiseng:sdbeng)

HSDB: <http://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>



**Full text of H-Statements referred to under section 3**

H319 - Causes serious eye irritation

H302 - Harmful if swallowed

H332 - Harmful if inhaled

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

----- End of Safety Data Sheet -----