

SDS Report No. SHAHG2003100203 Date: Apr. 16, 2020

SHANGHAI NNW NEW MATERIALS TECHNOLOGY CO., LTD. ROOM 402, Buildiing17, Lane 268, Lingxin Road, Changning District Shanghai 200335, CHINA

SGS Ref. No.	:	SHHL2003505634SD-SH
Sample Name	:	WHITEBOARD INK (BLUE)
End Uses	:	TOWRITE
Composition/Ingredient of		See Section 3 Composition/information on ingredients on the SDS
sample (as per client submission)	•	report
Job Receiving Date	:	Mar 13, 2020
Last Information Date	:	Apr 13, 2020
SDS Preparation Period	:	Mar 13 – Apr 13, 2020
Service Requested	:	Preparation of Safety Data Sheet (SDS) for the sample with submitted information.
Summary	:	As per request, the contents and formats of the SDS are prepared in accordance with European Commission Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No 2015/830, and is provided per attached.

Signed for and on behalf of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Cathy Cai Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document coencrete parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced alperation, forgery or falsification of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3rdBuilding,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Page 1 of 1

Printing date 13.04.2020

Version number 1.0

Revision: 13.04.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier · Trade name: <u>WHITEBOARD INK (BLUE)</u>
• 1.2 Relevant identified uses of the substance or mixture and uses advised against • Application of the substance / the mixture: TO WRITE
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SHANGHAI NNW NEW MATERIALS TECHNOLOGY CO.,LTD. ROOM 402, Buildiing17, Lane 268, Lingxin Road, Changning District Shanghai 200335, CHINA Tel: 021-64476059 E-mail: tech@nnwchina.com Fax: 021-64476096 Only Representative / other EU contact point: Chemical Inspection & Regulation Service Limited(CIRS) Singleton House, Laurence Street, Drogheda, Co. Louth, Ireland Tel: +353 41 9806916 E-mail: info@cirs-reach.com Further information obtainable from: SHANGHAI NNW NEW MATERIALS TECHNOLOGY CO.,LTD.
• 1.4 Emergency telephone number: Su Jicheng Tel: 13311812200
FRANCE Anti-poison center ORFILA (INRS) Tel: +33 (0)1 45 42 59 59
GERMANY Poison Center Berlin - Institute of Toxicology Tel: +49 030 192 40
• 1.5 Reference Number: SHHL2003505634SD-SH; SHAHG2003100203
SECTION 2: Hazards identification
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 2 H225 Highly flammable liquid and vapour. Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of Regulation (EC) No. 1272/2008.
• <i>Classification system:</i> The classification is according to the latest edition of EU Regulation (EC) No. 1272/2008, and extended by company and literature data.
 • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to CLP Regulation. • Hazard pictograms
GHS02
• Signal word Danger (Contd. on page 2)

Printing date 13.04.2020

Version number 1.0

Revision: 13.04.2020

Trade name: WHITEBOARD INK (BLUE)

	(Contd. of page 1)
· Hazard-determi	ning components of labelling: Not applicable
· Hazard statemen	nts
H225 Highly fla	mmable liquid and vapour.
· Precautionary st	tatements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P3	53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Other hazard	ds

· Results of PBT and vPvB assessment

• *PBT:* Not applicable

· vPvB: Not applicable

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Mixture of substances listed below with nonhazardous additions. For the wording of the listed hazard statements refer to section 16.

· Composition:		
CAS: 57-55-6 EINECS: 200-338-0	propane-1,2-diol substance with a Community workplace exposure limit	20.0%
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5	ethanol 🚸 Flam. Liq. 2, H225	20.0%
CAS: 25322-68-3 NLP: 500-038-2	Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy- Ethane-1,2-diol, ethoxylated substance with a Community workplace exposure limit	20.0%
CAS: 9004-96-0 NLP: 500-015-7	Oleic acid, ethoxylated	15.5%
CAS: 25168-73-4 EINECS: 246-705-9	sucrose stearate	15.0%
CAS: 63148-65-2	Butvar B-98	5.0%
CAS: 147-14-8 EINECS: 205-685-1	29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper	3.0%
CAS: 6358-30-1 EINECS: 228-767-9	8,18-dichloro-5,15-diethyl-5,15-dihydrodiindolo[3,2-b:3',2'-m] triphenodioxazine	1.5%

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General description: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

(Contd. on page 3)

⁻ EU

Printing date 13.04.2020

Version number 1.0

Revision: 13.04.2020

(Contd. of page 2)

Trade name: WHITEBOARD INK (BLUE)

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing:

Rinse out mouth with water. Never give anything by mouth to an unconscious person. Seek medical treatment.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents:

CO₂ powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • For safety reasons unsuitable extinguishing agents: Water with full jet

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters • Protective equipment: Mouth respiratory protective device. Wear fully protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Use respiratory protective device against the effects of fumes/dust/aerosol. Avoid contact with eyes. Avoid contact with skin.

· 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Prevent formation of aerosols. Avoid contact with skin and eyes. For the general occupational hygienic measures refer to section 8.

(Contd. on page 4)

EU

Printing date 13.04.2020

Version number 1.0

Revision: 13.04.2020

Trade name: WHITEBOARD INK (BLUE)

Keep ignition sou	(Contd. of page arces away - Do not smoke. lectrostatic charges.
• Requirements to Store in a cool lo Store only in the	original receptacle.
Store away from j Keep away from i	
• Further informat Keep container ti	tion about storage conditions: ghtly sealed.
	conditions in well sealed receptacles. t and direct sunlight.
· 7.3 Specific end	use(s) No further relevant information available.
SECTION 8.	Exposure controls/personal protection
· 8.1 Control para	meters limit values that require monitoring at the workplace:
57-55-6 propane-	
• •	als Dampf und Aerosol;vgl.Abschn.IIb und Xc
64-17-5 ethanol (
	Long-term value: 380 mg/m ³ , 200 ppm 4(II);DFG, Y
	Short-term value: 9500 mg/m³, 5000 ppm Long-term value: 1900 mg/m³, 1000 ppm
25322-68-3 Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated (20.0%)
MAK (Germany)	Long-term value: 250 E mg/m ³ mittlere Molmasse 200-600; vgl. Abschn. Xc
 Regulatory inform MAK (Germany): AGW (Germany): VLEP (France): 1 DNELs: Data not PNECs: Data not 	MAK- und BAT-Liste TRGS 900 ED 984, 10.2016 t available
· Additional inform	nation: The lists valid during the making were used as basis.
 8.2 Exposure constraints Based on composition measure: Appropriate enging Appropriate la premotiva de la p	ntrols sition shown in Section 3, the following messures are suggested for occupational safe
see section 7 jor	
· Personal protecti	ection: Suitable respiratory protective device recommended.
• Personal protecti • Respiratory prote • Protection of har	ection: Suitable respiratory protective device recommended.

Printing date 13.04.2020

Version number 1.0

Revision: 13.04.2020

Trade name: WHITEBOARD INK (BLUE)

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

• Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

9.1 Information on basic physical	and chemical properties
Appearance:	
Form:	Liquid
Colour:	Blue
Odour:	Odourless
Odour threshold:	Data not available.
pH-value:	Data not available.
Melting point/freezing point:	Data not available.
Initial boiling point and boiling ra	nge: Data not available
Flash point:	20-22 °C
Flammability (solid, gas):	Not applicable
Auto-Ignition temperature:	Data not available
Decomposition temperature:	Date not available.
Self-igniting:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air, vapour mixtures are possible.
Explosion limits:	
Lower:	Data not available.
Upper:	Data not available.
Oxidising properties	Data not available
Vapour pressure:	Data not available.
Density:	Data not available.
Relative density	Data not available.
Vapour density	Data not available.
Evaporation rate	Data not available.

Printing date 13.04.2020

Version number 1.0

Revision: 13.04.2020

Trade name: WHITEBOARD INK (BLUE)

	(Contd. of page
· Solubility in / Miscibility with	
water:	Data not available
· Partition coefficient: n-octanol/water:	Data not available.
· Viscosity:	
Dynamic:	Data not available.
Kinematic:	Data not available.
• 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

• 10.1 Reactivity No decomposition if used according to specification.

· 10.2 Chemical stability Stable under recommended storage conditions.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

57-55-6 pr	opane-1,2-	-diol
Oral	LD50	20,000 mg/kg (rat)
Dermal	LD50	20,800 mg/kg (rabbit)
64-17-5 et	hanol	
Oral	LD50	3,450 mg/kg (mouse)
		7,060 mg/kg (rat)
		6,300 mg/kg (rabbit)
Inhalative	LC50/4 h	20,000 mg/l (rat)
25322-68-	3 Poly(oxy	-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated
Oral	LD50	28,915 mg/kg (mouse)
		22,000 mg/kg (rat)
		14,000 mg/kg (rabbit)
9004-96-0	Oleic acid	, ethoxylated
Oral	LD50	>25,000 mg/kg (mouse)

• Skin corrosion/irritation: Based on available data, the classification criteria are not met.

• Serious eye damage/irritation: Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

• Carcinogenicity: Based on available data, the classification criteria are not met.

• Reproductive toxicity: Based on available data, the classification criteria are not met.

• STOT-single exposure: Based on available data, the classification criteria are not met. • STOT-repeated exposure: Based on available data, the classification criteria are not met.

(Contd. on page 7)

- EU

Printing date 13.04.2020

Version number 1.0

Revision: 13.04.2020

Trade name: WHITEBOARD INK (BLUE)

· Aspiration hazard: Based on available data, the classification criteria are not met.

(Contd. of page 6)

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.
- \cdot 12.7 Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number	
ADR/RID/ADN, IMDG, IATA	UN1170
14.2 UN proper shipping name	
ADR/RID/ADN, IMDG	ETHANOL (ETHYL ALCOHOL) mixture
IATA	ETHANOL mixture
14.3 Transport hazard class(es)	
ADR/RID/ADN, IMDG, IATA	
	3 Flammable liquids.
	3 Flammable liquids. 3
Label	*
Label 14.4 Packing group	*
Label 14.4 Packing group ADR/RID/ADN, IMDG, IATA	3
Class Label 14.4 Packing group ADR/RID/ADN, IMDG, IATA 14.5 Environmental hazards 14.6 Special precautions for user	3 11

EU

Printing date 13.04.2020

Version number 1.0

Revision: 13.04.2020

Trade name: WHITEBOARD INK (BLUE)

	(Contd. of page
· EMS Number:	F-E,S-D
· Stowage Category	A
\cdot 14.7 Transport in bulk according to A	nnex II of
Marpol and the IBC Code	Not applicable.
· 14.8 Transport/Additional information	.:
· ADR/RID/ADN	
· Limited quantities (LQ)	1L
Excepted quantities (\widetilde{EQ})	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
• Tunnel restriction code	D/E
· IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1170 ETHANOL (ETHYL ALCOHOL) MIXTURE, . II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· MAK (German Maximum Workplace Concerntration)

64-17-5 ethanol

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · National regulations:
- Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Other regulations, limitations and prohibitive regulations

· SVHC Candidate List of REACH Regulation Annex XIV Authorisation (16/1/2020)

None of the ingredients is listed.

• REACH Regulation Annex XVII Restriction (20/6/2019) See Section 16 for information about restriction of use.

None of the ingredients is listed.

· REACH Regulation Annex XIV Authorization List (13/6/2017)

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant hazard statements

H225 Highly flammable liquid and vapour.

· Classification according to Regulation (EC) No 1272/2008

Flammable liquids Bridging principles

(Contd. on page 9)

5

[·] Directive 2012/18/EU

EU

Printing date 13.04.2020

Version number 1.0

Revision: 13.04.2020

Trade name: WHITEBOARD INK (BLUE)

(Contd. of page 8) The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830. DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 ***** End of document