

## Film Extra 125

### ■ clear 4318 - 125 µm

Clear polyester film for imaging by laser printing process, providing a sharp and vivid colored image on a transparent background.

Suitable for color laser equipment. Please refer to your device user manual.

### Applications

- Overhead + Overlay

### Advantages

- Designed for use color laser copiers and printers
- Transparent clear film for impressive colored presentations with overhead projection
- High quality film, Thickness 125 µm
- Can be marked with original Edding
- Excellent print outs - photo quality
- Trouble-free printing due to optimal flatness
- Archivable
- Dimensional stability
- Tear-resistant

### Film Extra 125

■ clear 4318 - 125 µm

### List of Printers

| Printer | Ink | Quality |
|---------|-----|---------|
|---------|-----|---------|

Last update: 26.01.2012

### Film Extra 125

■ clear 4318 - 125 µm

#### Physical Properties

|                      |           |            |
|----------------------|-----------|------------|
| Thickness            | 125 µm    | ISO 534    |
| Smoothness Sheffield | 30 +/- 20 | TAPPI T538 |
| Haze                 | < 6%      | ASTM D1003 |

#### Recommended use and storage

For quality reasons this media should be stored and converted under conditions of 30-70% relative humidity and at a temperature of 15-30°C.

Shelf life minimum of 2 years from ship date when stored under ideal storage conditions.

The values provided on this datasheet are only for orientation.

Before using our media please check its compatibility for your printer and intended application. Technical specifications are subject to change, therefore we do not take responsibility for any misprints resulting from technically modified inks and/ or printers. 04.06.2012