

Film Extra 125

■ clear 4318 - 125 µm

Clear polyester film for imaging by laser printing process, providing a sharp and vivid colored image on a transparent background.

Suitable for color laser equipment. Please refer to your device user manual.

Applications

- Overhead + Overlay

Advantages

- Designed for use color laser copiers and printers
- Transparent clear film for impressive colored presentations with overhead projection
- High quality film, Thickness 125 µm
- Can be marked with original Edding
- Excellent print outs - photo quality
- Trouble-free printing due to optimal flatness
- Archivable
- Dimensional stability
- Tear-resistant

Film Extra 125

■ clear 4318 - 125 µm

List of Printers

Printer	Ink	Quality
---------	-----	---------

Last update: 26.01.2012

Film Extra 125

■ clear 4318 - 125 µm

Physical Properties

Thickness	125 µm	ISO 534
Smoothness Sheffield	30 +/- 20	TAPPI T538
Haze	< 6%	ASTM D1003

Recommended use and storage

For quality reasons this media should be stored and converted under conditions of 30-70% relative humidity and at a temperature of 15-30°C.

Shelf life minimum of 2 years from ship date when stored under ideal storage conditions.

The values provided on this datasheet are only for orientation.

Before using our media please check its compatibility for your printer and intended application. Technical specifications are subject to change, therefore we do not take responsibility for any misprints resulting from technically modified inks and/ or printers. 04.06.2012